

CONTACT INFO:

SALES REP: JOHN DINA
 PH: 1-208-440-1877
 EMAIL: JOHN@DINACONSULTING.COM

P/N: LCD-1202027
 UOM: EA


DESIGNED TO EXCEED EMC REQUIREMENTS IEC 60571

2 YEAR WARRANTY

INPUT Power
 Voltage range: 28 VDC - 90 VDC
 VDC Current: 185 W @ 74 VDC

OUTPUT POWER
 Voltage Output: 24 VDC
 Current: 5 AMP
 Efficiency: 88%

Environmental
 Operational Temp: -30 C to +85 C
 Storage Temp: -40 C to +100 C



REV	DESCRIPTION	DATE	REVISION HISTORY	REVISED BY CHECKED BY RELEASED BY	J. MANGEAC DCD J. DINA
-	INITIAL RELEASE				

APPROVALS		DESCRIPTION	
DRAWN	JOMANGEAC	05/17/13	
CHECKED	DC&D	05/17/13	
ENGINEER	JDINA	05/17/13	
FIRST USED	-		

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES. TOLERANCES ARE:			
DECIMALS	FRACTIONS	APPROVALS DRAWN: JOMANGEAC CHECKED: DC&D ENGINEER: JDINA	
X = ±.2	XX = ±1/4	DESCRIPTION POWER CONDITIONER 74/24 VDC 5A - 8A PEAK	
XX = ±.06	ANGLES	DWG SIZE: B DRAWING NUMBER: LCD-1202027	
XXX = ±.010	X = ±1°	SCALE: 1:1 WEIGHT: 0.53LBS	
	XX = ±0.5°	SHEET 01 OF 01	
DO NOT SCALE DRAWING		REV -	
THIRD ANGLE PROJECTION		REV -	
		REV -	